

MaxiLED
Lighting

MaxiELITE Large Globe
Static 90CRI 3000K



MaxiELITE Large Globe

Static 90CRI 3000K



Key Features



Standard Features



Specifications

Power input: **24VDC**
Watts per unit: **1.4w**
LED Current: **100ma**
Color Render: **90CRI**
Run Length: **330 Ft (100M)**
Run Per single power source: **150+ Globes**
Lumens Clear Globe (Full On): **58**
Lens Option: **Clear and Frosted**
Dimensions (Globe): **64mm x 64mm**
Vibration Test: **ANSI C136.31**
Operating temperatures: **-40°C to +50°C**
Certifications: **UL. UKCA. CE.**

Description

MaxiELITE is a premium static white festoon solution created for environments where light quality is the priority. Operating at 24V, it supports long continuous runs of 150+ globes per power supply, while its high 90 CRI delivers warm, natural white light with excellent color accuracy. This makes it ideal for hospitality spaces, plazas, courtyards, and high-end architectural environments where visual comfort and consistency matter.

MaxiELITE Large Globe

Static 3000K



MaxiLED Lighting

Unit 2, Farrington Place, Rossendale Road Ind. Est. Burnley, Lancashire. UK. BB11 5TY
T: +44 (0)1282 448086 E: sales@maxiledlighting.com Web: www.maxiledlighting.com