



**MaxiLED Large Globe
DMX White High Output**

MaxiLED Large Globe DMX White High Output



Key Features

- IP68
- IK07 (Impact resistance)
- 5 year Warranty
- Single strand runs as long as 330 ft (100m)
- 512 DMX Controllable
- High Performance
- Available in Clear and Matt Lens
- Operating temperatures -40°C to +50°C
- Vibration tested. ANSI C136.31

Description

The MaxiLED Globe Series — DMX White High Output (4000 K) delivers long, continuous runs of white festoon lighting to outline trees, landscapes, buildings and bridges. Built for permanent use with rugged, injection-moulded polycarbonate globes, heavy-gauge cabling and dependable Cree® LEDs, the system runs on 48 VDC MaxiLINK Data-Over-Power for DMX512 dimming over two cores and is rated IP68 / IK07. Single-strand runs up to 100 m (max 100 globes). Available in 64 mm Large Globe.

MaxiLED Large Globe DMX White High Output

Specifications

Power input: **48VAC**

Watts per unit: **2.35w**

LED Current: **100ma**

Lumens WWWW Clear Globe (Full On): **200**


Lumens WWWW Frosted Globe (Full On): **150**

Certifications: **UL. UKCA. CE.**


Features



Finishes



Dimensions



Certifications



MaxiLED Large Globe DMX White High Output



MaxiLED Lighting

Unit 2, Farrington Place, Rossendale Road Ind. Est. Burnley, Lancashire. UK. BB11 5TY
T: **+44 (0)1282 448086** E: sales@maxiledlighting.com Web: www.maxiledlighting.com