

MaxiLED
Lighting

MaxiLED Large Globe
Static



MaxiLED Large Globe Static



Key Features

- IP68
- IK07 (Impact resistance)
- 5 year Warranty
- 24V Low voltage
- 300+ Globes on a single power source
- Available in 2700K, 10,000K, Red, Green, Blue, Pink and Amber
- Available in Clear and Matt Lens
- Operating temperatures -40°C to +50°C
- Vibration tested. ANSI C136.31

Description

MaxiLED Strands deliver long runs of globe-lensed LEDs to outline buildings and bridges or link features in white or static colour. Built for permanent use, each strand uses injection-moulded polycarbonate globes, heavy-gauge cabling and sealed LED modules. Multiple static colours can be mixed on one strand.

Large Globe – Static Colours (64 mm) delivers uniform colour along trees, landscapes, buildings and bridges. Running at 24 V, it is rated IP68/IK07, has a 5-year warranty, and supports 300+ globes per power source - ideal for long, continuous festoon runs with minimal infrastructure and consistent ambience.

MaxiLED Large Globe Static

Specifications

Power input: **24VDC**

Watts per unit: **0.6w**

LED Current: **100mA**

Lumens Clear Globe (2700K): **30**
(10,000K): **27**


LED's (Random): **2700K, 10,000K, Red, Green, Blue, Pink and Amber**

Maximum run distance: **100 Meters**

Maximum Globe per single power source: **300+**

Certifications: **UL, UKCA, CE.**


Dimensions



Features



Finishes



Certifications



MaxiLED Large Globe Static



MaxiLED Lighting

Unit 2, Farrington Place, Rossendale Road Ind. Est. Burnley, Lancashire. UK. BB11 5TY
T: **+44 (0)1282 448086** E: sales@maxiledlighting.com Web: www.maxiledlighting.com