

MaxiLED
Lighting

MaxiULTRA


Small Globe

Static



MaxiULTRA Small Globe Static

Key Features



Standard Features



Specifications

Power input: **24VDC**

Watts per unit: **0.6w**

LED Current: **50ma**

Run Length: **330 Ft (100M)**

Run Per single power source: **300+ Globes**

Lumens Clear Globe (Full On): **23**

Available in: **2700K, 10,000K, Red, Green, Blue, Pink and Amber**

Lens Option: **Clear and Frosted**

Dimensions (Globe): **32mm x 32mm**

Vibration Test: **ANSI C136.31**

Operating temperatures: **-40°C to +50°C**

Certifications: **UL. UKCA. CE.**

Description

MaxiULTRA Small Globe is a cost-effective static lighting solution designed for projects that require a finer, more discreet festoon appearance. Using 32 mm globes and operating at 24V, it supports long continuous runs of 300+ globes per power supply, making it ideal for outlining trees, landscapes, and pedestrian areas. It delivers uniform static white or static color light and is well suited to large-scale decorative installations where subtlety, consistency, and efficiency are key.



MaxiULTRA Small Globe Static



MaxiLED Lighting

Unit 2, Farrington Place, Rossendale Road Ind. Est. Burnley, Lancashire. UK. BB11 5TY
T: +44 (0)1282 448086 E: sales@maxiledlighting.com Web: www.maxiledlighting.com