



MaxiLED
Lighting

MaxiLED Small Globe
Random Colour Change

MaxiLED Small Globe Random Colour Change



Key Features

- IP68
- IK07 (Impact resistance)
- 5 year Warranty
- 24V Low voltage
- 200+ Globes on a single power source
- Random Colour Change
- Available in Clear and Matt Lens
- Operating temperatures -40°C to +50°C
- Vibration tested. ANSI C136.31

Description

The MaxiLED Globe Series - Small Globe Random Colour Change delivers playful, self-animating colour along trees, landscapes, buildings and bridges without any programming. Each 32 mm globe uses dependable LEDs inside a rugged, injection-moulded polycarbonate housing with heavy-gauge cabling for true permanent use. Operating on safe 24V low voltage, the system is rated IP68 / IK07, carries a 5-year warranty, and allows 200+ globes from a single power source to create long, continuous festoon runs with minimal infrastructure - perfect for dynamic, always-moving ambience.

MaxiLED Small Globe Random Colour Change

Specifications

Power input: **24VDC**

Watts per unit: **1.1w**


LED's (Random): **Red, Blue and Green**

Maximum run distance: **100 Meters**


Maximum Globe per single power source: **200+**

Certifications: **UL, UKCA, CE.**

Features




Finishes



(MOQ)

Dimensions



Certifications



MaxiLED
Lighting

MaxiLED Small Globe Random Colour Change



MaxiLED Lighting

Unit 2, Farrington Place, Rossendale Road Ind. Est. Burnley, Lancashire. UK. BB11 5TY
T: **+44 (0)1282 448086** E: sales@maxiledlighting.com Web: www.maxiledlighting.com