

Maxiled Small Globe Static



Key Features

- IP68
- IK07 (Impact resistance)
- 5 year Warranty
- 24V Low voltage
- 300+ Globes on a single power source
- Available in 2700K, 10,000K, Red, Green, Blue, Pink and Amber
- Available in Clear and Matt Lens

Description

MaxiLED Small Globe strands deliver long runs of 32 mm globes to outline features in white or static colour. Built for permanent use, each strand uses injection-moulded polycarbonate globes, heavy-gauge cabling and sealed LED modules. Multiple static colours can be mixed on one strand. Small Globe – Static Colours (32 mm) delivers uniform colour along trees and landscapes. Running at 24V, it is rated IP68/IK07, has a 5-year warranty, and supports 300+ globes per power source - ideal for long, continuous festoon runs with minimal infrastructure and consistent ambience.

MaxiLED Small Globe Static

Specifications

Power input: 24VDC

Watts per unit: 0.6w

LED Current: 100ma

LED's (Random): 2700K, 10,000K, Red, Green, Blue, Pink and Amber

Maximum run distance: 100 Meters

Maximum Globe per single power source: 300+

Certifications: UL. UKCA. CE.

Features













Finishes










Dimensions



Certifications





Maxiled Small Globe Static

